

Last Modified: 09-25-2023	6.11:8.1.0	Doc ID: RM100000029QF5
Model Year Start: 2023	Model: Prius Prime	Prod Date Range: [12/2022 -]
Title: EXTERIOR PANELS / TRIM: WHEEL OPENING MOULDING (for Front Side): REMOVAL; 2023 - 2024 MY Prius Prius Prime [12/2022 -]		

REMOVAL


CAUTION / NOTICE / HINT

HINT:

- Use the same procedure for the RH side and LH side.
- The following procedure is for the LH side.

CAUTION / NOTICE / HINT


COMPONENTS (REMOVAL)




PROCEDURE		PART NAME CODE			
1	FRONT FENDER MOULDING SUB-ASSEMBLY	75602A	INFO	-	-

PROCEDURE

1. REMOVE FRONT FENDER MOULDING SUB-ASSEMBLY



- (1) Apply protective tape around the front fender moulding sub-assembly as shown in the illustration.
- (2) Remove the 4 clips and 3 screws.




	Push		Place Hand Here
	Remove in this Direction	-	-

- (1) Using a moulding remover, disengage the claw by pushing the area indicated by the arrow in the illustration.

NOTICE:

To avoid damaging the claw, do not forcibly pull the front fender moulding sub-assembly.




	Push		Place Hand Here
	Remove in this Direction	-	-

(1) Disengage the 3 claws by pushing the area indicated by the arrow in the illustration with a finger.

NOTICE:

To avoid damaging the claw, do not forcibly pull the front fender moulding sub-assembly.



	Place Hand Here		Remove in this Direction (1)
	Remove in this Direction (2)	-	-

(1) Disengage the 7 clips as shown in the illustration.

(2) Disengage the clip as shown in the illustration to remove the front fender moulding sub-assembly.

NOTICE:

To prevent damage to the clips, make sure to pull the front fender moulding sub-assembly evenly and straight.

