

Customization settings with headings

Thursday, November 6, 2025 8:07 PM

Wireless Door Lock

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING				
Wireless Buzzer Response Function	Disable	Enable			
Panic Function	Disable	Enable			
Hazard Answer Back Function	Disable	Enable			
Wireless Buzzer Volume Setting	Level7(MAX)	Level6	Level5	Level4	Level3
	Level2	Level1	Level0(MIN)		
Wireless Unlock Twice Function	Disable	Enable			
Wireless Lock Function with Doors Open	Disable	Enable			

Door Lock

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING		
Unlock Key Twice Function	Disable	Enable	
Open Door Warning Function	Disable	Enable	
Door Auto Lock Timer Setting	30sec	60sec	120sec
Automatic Door Lock Setting	OFF	Link Shift	Link Speed
Automatic Door Unlock Setting	OFF	Link D-Door	Link Shift
Door Lock Answerback Sound Setting	Normal Sound	Other Sound	
Automatic Door Lock Function	Disable	Enable	

Security

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING	
Warning by Horn Function	Disable	Enable

Power Window

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING		
Door Key P/W Up Function	Disable	Enable	
Door Key P/W Down Function	Disable	Enable	
P/W Down W/ Transmit Function	Disable	Enable	
P/W Operation Buzzer W/ Transmit Function	Disable	Enable	
D Window Auto Up Function	Disable	Enable	
D Window Auto Down Function	Disable	Enable	
P Window Auto Up Function	Disable	Enable	
P Window Auto Up by Driver Function	Disable	Enable	

P Window Auto Down Function	Disable	Enable	
P Window Auto Down by Driver Function	Disable	Enable	
RR Window Auto Up Function	Disable	Enable	
RR Window Auto Up by Driver Function	Disable	Enable	
RR Window Auto Down Function	Disable	Enable	
RR Window Auto Down by Driver Function	Disable	Enable	
RL Window Auto Up Function	Disable	Enable	
RL Window Auto Up by Driver Function	Disable	Enable	
RL Window Auto Down Function	Disable	Enable	
RL Window Auto Down by Driver Function	Disable	Enable	

Wiper

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING		
R Wiper Stop Function at Back Door/Trunk Lid Open	Enable	Disable	
Auto Wiper Function	Enable	Disable	

Illuminated Entry

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING		
Interior Lights ON when Approached Function	Disable	Enable	
Interior Lights ON when Door Unlocked Function	Disable	Enable	
Interior Lights ON when IG OFF Function	Disable	Enable	
Light Control Function	Disable	Enable	
Interior Illumination Light 1 Function	Disable	Enable	
Interior Illumination Light 2 Function	Disable	Enable	
Interior Illumination Light 3 Function	Disable	Enable	
Interior Lights Lighting Timer Setting	Normal	Short	Long
Interior Lights ON Function	Disable	Enable	

Warning

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING				
Driver Seatbelt Warning Buzzer Function	OFF	ON			
Passenger Seatbelt Warning Buzzer Function	OFF	ON			
Rear Right Seatbelt Warning Buzzer Function	OFF	ON			
Rear Left Seatbelt Warning Buzzer Function	OFF	ON			
Rear Center Seatbelt Warning Buzzer Function	OFF	ON			
Lane Change Flashing Times Adjust	OFF	3	4	5	6
	7				

Flasher Sound Volume Adjust	Large	Medium	Small		
Window Open Warning Function	Disable	Enable			
Proposal Services Function	OFF	Parked	ON		
Rear Seat Reminder Function	Disable	Enable			
Reverse Buzzer Setting	Mute	Continual			

Light Control

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING				
Tail Remind Buzzer Function	Disable	Enable			
Headlight ON in Conjunction with Wiper Function	Disable	Enable			
Brightness Level Adjust (Lowering)	Normal	Dark2	Dark1	Light1	Light2
Brightness Level Adjust (Canceling)	Normal	Dark2	Dark1	Light1	Light2
Sensitivity Adjust	Dark2	Dark1	Normal	Light1	Light2
Light Auto OFF Delay Setting	OFF	30sec	60sec	90sec	
DRL Function	Disable	Enable			

Air Conditioner

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING				
Foot/DEF Auto Mode	OFF	ON			
Outside Air Mode Auto Switch Function	OFF	ON			
Set Temperature Shift	-2C	-1C	Normal	+1C	+2C
Refrigerant Shortage Check	OFF	ON			
A/C Auto Switch Mode	OFF	ON			
Seat Airflow Mode Setting	Standard	Silent (Wind Amount Hi)	Silent (Wind Amount Low)		

Display

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING			
ODO Display Time After IG OFF Adjust	30s	60s	600s	OFF

Smart Key / Access

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING			
Auto Entry Cancel 2 Setting	OFF	ON		
Ignition Available Area Setting (Back Door Type)	Fr+Rr	Fr+Rr+BD		
Park Wait Time Adjust	0.5sec	1.5sec	2.5sec	5sec
Door Unlock Sensor Touch Time Adjust	OFF	Short	Middle	Long
Key Low Battery Warning Function	OFF	ON		
Key Left in Vehicle Alarm Function	OFF	ON		
Forget to Turn IG OFF Alarm Function	OFF	ON		
Start Indicator Function	OFF	ON		
Touch Activation Over Threshold	Active	Not Active		
Start Switch Light Function	OFF	ON		
Auto Entry Function by Digital Key	Normal	Cancel		
Entry Unlock Twice Function	Disable	Enable		

PSD & PBD operation

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING		
PBD SW Operating Condition Setting	Short Press (0.04s)	Long Press (0.8s)	
PBD Buzzer Function	OFF	ON	
PBD Assist Close Function	OFF	ON	
PBD Assist Open Function	OFF	ON	
PBD Door Unlock with One Motion Setting	Back Door	All Doors	
PBD Wireless Function	OFF	ON	
PBD Wireless One Motion Function	OFF	ON	
PBD Wireless SW Setting	1 Time Press	2 Times Press	Long Press (0.8s)
PBD Kick Sensor Sensitivity Adjust	Normal	+1	+2
PBD Walk Away Close & Lock Function	OFF	ON	
PBD Walk Away Kick Sensor Function	OFF	ON	
PBD Kick-in Beep Sound	OFF	ON	

Seat

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING		
Driver Seat Distance Adjust when Get Off	OFF	Little	Normal
Memory Call Function	Disable	Enable	
Auto Operation Interference Avoidance Function (D)	OFF	ON	

Others

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING				
Automatic Mirror Fold Setting	ACC	Door Lock	Disable		
Seat Position Voice Control Function	Disable	Enable			
Wiper Voice Control Function	Disable	Enable			
Body Control with Torque Demand	ON	OFF			
Telematics Microphone Volume Adjust	1(MIN)	2	3	4	5
	6	7	8	9	10
	11(MAX)				
Telematics Speaker Volume Adjust	1(MIN)	2	3	4	5
	6	7	8	9	10
	11	12	13	14(MAX)	
Communication Remote Engine Starter	Not Available	Available			
Accessory Mode (ACC) Transition	Invalid	Valid			

Clearance Warning

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING		
Ultrasonic Sensor (Front Center) Detection Range	Close	Far	
Ultrasonic Sensor (Front Corner) Detection Range	Close	Far	
Ultrasonic Sensor Actuation (Shift N)	OFF	ON	
PKSA (O) Switch State Stored	Not Stored	Stored	
PKSA (O) Judgment of Obstacle on Course	Valid	Invalid	
PKSA (O) Auto Mute Function	ON	OFF	
PKSA (O) Image Display when Away from the Obstacle	Hide	Display	
PKSB (O) Function	ON	OFF	
PKSB (O) Target Stopping Distance	Close	Far	
PKSB Switch State Stored	Stored	Not Stored	
PKSB (V) Function	ON	OFF	
PKSB (V) Operation Timing Setting	Late	Standard	
PKSB (V) Sensitivity	Standard	Low	
Clearance Warning Buzzer Volume	Volume1	Volume2	Volume3
Clearance Warning Buzzer Surround	OFF	ON	
PKSA (O) Main Switch	OFF	ON	
PKSB (O) Main Switch	OFF	ON	

PSD & PBD operation

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING		
PBD SW Operating Condition Setting	Short Press (0.04s)	Long Press (0.8s)	
PBD Buzzer Function	OFF	ON	
PBD Assist Close Function	OFF	ON	
PBD Assist Open Function	OFF	ON	
PBD Door Unlock with One Motion Setting	Back Door	All Doors	
PBD Wireless Function	OFF	ON	
PBD Wireless One Motion Function	OFF	ON	
PBD Wireless SW Setting	1 Time Press	2 Times Press	Long Press (0.8s)
PBD Kick Sensor Sensitivity Adjust	Normal	+1	+2
PBD Walk Away Close & Lock Function	OFF	ON	
PBD Walk Away Kick Sensor Function	OFF	ON	
PBD Kick-in Beep Sound	OFF	ON	

Seat

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING		
Driver Seat Distance Adjust when Get Off	OFF	Little	Normal
Memory Call Function	Disable	Enable	
Auto Operation Interference Avoidance Function (D)	OFF	ON	

Others

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING				
Automatic Mirror Fold Setting	ACC	Door Lock	Disable		
Seat Position Voice Control Function	Disable	Enable			
Wiper Voice Control Function	Disable	Enable			
Body Control with Torque Demand	ON	OFF			
Telematics Microphone Volume Adjust	1(MIN)	2	3	4	5
	6	7	8	9	10
	11(MAX)				
Telematics Speaker Volume Adjust	1(MIN)	2	3	4	5
	6	7	8	9	10
	11	12	13	14(MAX)	
Communication Remote Engine Starter	Not Available	Available			
Accessory Mode (ACC) Transition	Invalid	Valid			

Clearance Warning

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING		
Ultrasonic Sensor (Front Center) Detection Range	Close	Far	
Ultrasonic Sensor (Front Corner) Detection Range	Close	Far	
Ultrasonic Sensor Actuation (Shift N)	OFF	ON	
PKSA (O) Switch State Stored	Not Stored	Stored	
PKSA (O) Judgment of Obstacle on Course	Valid	Invalid	
PKSA (O) Auto Mute Function	ON	OFF	
PKSA (O) Image Display when Away from the Obstacle	Hide	Display	
PKSB (O) Function	ON	OFF	
PKSB (O) Target Stopping Distance	Close	Far	
PKSB Switch State Stored	Stored	Not Stored	
PKSB (V) Function	ON	OFF	
PKSB (V) Operation Timing Setting	Late	Standard	
PKSB (V) Sensitivity	Standard	Low	
Clearance Warning Buzzer Volume	Volume1	Volume2	Volume3
Clearance Warning Buzzer Surround	OFF	ON	
PKSA (O) Main Switch	OFF	ON	
PKSB (O) Main Switch	OFF	ON	

Blind Spot Monitor

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING			
Prior Warning Setting	OFF	ON		
BSM Function	Valid	Invalid		
RCTA Function	Valid	Invalid		
SEA Function	Valid	Invalid		
SEA Right Door Control Setting	OFF	ON		
SEA Left Door Control Setting	OFF	ON		
SEA Voice Setting	OFF	ON		
SEA Prior Warning Setting	OFF	ON		
Outer Mirror Indicator Brightness	Dim	Bright		
L-BSM Mode	OFF	Short	Middle	Long
SEA Detection Sensitivity	Low	Middle	High	
BSM Alert Options Setting	Indicator Only	Indicator + Buzzer		
RCTA Buzzer Volume Setting	Small	Medium	Large	

Option Setup

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING		
Security System	Disable	Enable	

My Settings

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING		
My Settings Function	Disable	Enable	

Driver 1

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING				
Automatic Door Lock Setting	OFF	Link Shift	Link Speed		
Automatic Door Unlock Setting	OFF	Link D-Door	Link Shift		
Wireless Unlock Twice Function	Disable	Enable			
Door Auto Lock Timer Setting	30sec	60sec	120sec		
Wireless Lock Function with Doors Open	Disable	Enable			
Automatic Door Lock Function	Disable	Enable			
Hazard Answer Back Function	Disable	Enable			
Wireless Buzzer Volume Setting	Level7(MAX)	Level6	Level5	Level4	Level3
	Level2	Level1	Level0(MIN)		
Interior Lights Lighting Timer Setting	Normal	Short	Long		
Interior Lights ON Function	Disable	Enable			
Sensitivity Adjust	Dark2	Dark1	Normal	Light1	Light2
DRL Function	Disable	Enable			
Light Auto OFF Delay Setting	OFF	30sec	60sec	90sec	
Service Proposals Function	OFF	Parked	ON		
Driver Seat Distance Adjust when getting out	OFF	Little	Normal		
Memory Call Function	Disable	Enable			
Rear Seat Reminder Function	Disable	Enable			
A/C Auto Switch Mode	OFF	ON			
Clearance Warning Buzzer Volume	Volume1	Volume2	Volume3		
Clearance Warning Buzzer Surround	OFF	ON			
PKSA (O) Main Switch	OFF	ON			
PKSB (O) Main Switch	OFF	ON			

SEA Prior Warning Setting	OFF	ON			
Outer Mirror Indicator Brightness	Dim	Bright			
L-BSM Mode	OFF	Short	Middle	Long	
SEA Detection Sensitivity	Low	Middle	High		
RCTA Buzzer Volume Setting	Small	Medium	Large		
BSM Alert Options Setting	Indicator Only	Indicator + Buzzer			

Common Setting

Customize (S601-06)

Select Customize Parameter

ITEM		
Driver Recognition Auto Switch Function	Disable	Enable
Automatically Switch Function (Key)	Disable	Enable
Entry Unlock Correction Function	Disable	Enable
Wireless Unlock Correction Function	Disable	Enable
Inside Key Correction Function	Disable	Enable
Digital Key Unlock Correction Function	Disable	Enable
Automatically Switch Function (Digital Key)	Disable	Enable

Plus Support

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING			
Clearance Warning Buzzer Volume	Volume1	Volume2	Volume3	
Clearance Warning Buzzer Surround	OFF	ON		
PKSA (O) Main Switch	OFF	ON		
PKSB (O) Main Switch	OFF	ON		
L-BSM Mode	OFF	Short	Middle	Long
SEA Detection Sensitivity	Low	Middle	High	
RCTA Buzzer Volume Setting	Small	Medium	Large	
BSM Alert Options Setting	Indicator Only	Indicator + Buzzer		

Front Recognition Camera

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING	
Illumination Notification	OFF	ON
PCS Function ON/OFF State Stored	Not Stored	Stored
PCS Warning Timing State Stored 1	Not Stored	Stored
PCS Warning Timing State Stored 2	Not Stored	Stored
PCS Collision Avoidance Assist Function	OFF	ON
PCS Reminder Buzzer Sound	OFF	ON
PCS Right Turn/Left Turn Warning Function	OFF	ON
PCS Right Turn/Left Turn Warning Buzzer Sound	OFF	ON

Sound			
Mild Braking in Plus Support Mode	OFF	ON	
PCS Drive Monitor Early Warning Function	OFF	ON	
FCTA Both Side Display	OFF	ON	
2 actioned Service Command	Invalid	Valid	
ACC Auto Start Buzzer	Invalid	Valid	
ACC Auto Start Front Gaze Resume Request Buzzer	Invalid	Valid	
AHB/AHS Performance Adjustment	Normal	Special Performance 1	

Driver Monitor Camera Control

Customize (S601-06)

Select Customize Parameter

ITEM	SETTING		
Driver Monitor Function Startup Setting	Default Setting	My Settings	